

# Material Safety Data Sheet

MSDS ID: SK-159D

<b>*** Section 1- Chemical Product and Company Identification ***</b>
---

Product Name: Stoko<sup>®</sup> Spray SureSeat Toilet Seat Cleaner

Product Use: Toilet Seat Cleaner

**Company Information**

<b>Stockhausen Inc.</b> 2401 Doyle Street Greensboro, NC 27406	Phone: Non-emergency # (800) 242-2271  <b>Emergency # (800) 424-9300 CHEMTREC (North America)</b> <b>Emergency # (703) 527-3887 CHEMTREC (International, call collect)</b>
--	---

**General Comments**

Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving the product. All Non-emergency questions should be directed to the Toll Free, Non-Emergency number above.

<b>*** Section 2 - Hazards Identification ***</b>
---

**Emergency Overview**

This consumer product is a flammable liquid. Sold in small plastic flexible 300ml containers. Its flash point is ~75°F (24°C). Employers must inform workers of the hazards of this product and provide worker training on safe handling procedures.

**Potential Health Effects: Eyes**

May cause eye irritation.

**Potential Health Effects: Skin**

May cause skin irritation.

**Potential Health Effects: Ingestion**

Harmful if swallowed.

**Potential Health Effects: Inhalation**

Not an inhalation hazard under normal use conditions.

**HMIS Ratings:**      **Health: 1**      **Fire: 3**      **Reactivity: 0**      **Pers. Prot.: B**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

<b>*** Section 3 - Composition / Information on Ingredients ***</b>
---

CAS #	Component
64-17-5	Ethyl alcohol
67-56-1	Methyl alcohol

**Component Information/Information on Non-Hazardous Components**

This product is a consumer product and is therefore exempt from OSHA (Hazard Communication), EPA (TSCA statements) and WHMIS (CANADA), labels and material safety data sheet (MSDS) requirements, but not from worker education provisions. However, it is not exempt from EPA TSCA IUR reporting criteria. Employers must inform workers of the hazards of this product and provide worker training on safe handling procedures. See container label regarding proper handling and use of this product.

# Material Safety Data Sheet

Stoko<sup>®</sup> Spray SureSeat Toilet Seat Cleaner

MSDS ID: SK-159D

Ingredients are listed in descending order of concentration on the container label.  
For OSHA workplace hazards, investigate and read and understand component MSDS's before manufacturing.  
All ingredients are listed on TSCA 40CFR700.

## \*\*\* Section 4 - First Aid Measures \*\*\*

### First Aid: Eyes

Flush immediately with water for at least 15 minutes. Do not rub eyes. Get medical attention if discomfort persists.

### First Aid: Skin

None. In case of persistent skin irritation, seek medical attention.

### First Aid: Ingestion

May be harmful if swallowed. If material is swallowed, get medical attention or advice.

### First Aid: Inhalation

If inhaled, move to source of fresh air.

### First Aid: Notes to Physician

Product contains denatured alcohol.

## \*\*\* Section 5 - Fire Fighting Measures \*\*\*

### General Fire Hazards

This product is flammable.

**Upper Flammable Limit (UFL):** Not determined

**Lower Flammable Limit (LFL):** Not determined

**Method Used:** Pensky Marten Closed Cup (PMCC)

**Flash Point:** 75.2°F (24° C)

**Flammability Classification:**

**Auto Ignition:** Not determined

### Hazardous Combustion Products

On thermal decomposition oxides of carbon and nitrogen may be formed.

### Extinguishing Media

Foam and carbon dioxide are most effective.

### Fire Fighting Equipment/Instructions

Firefighters should wear full-face, self contained breathing apparatus and impervious protective clothing.

**NFPA Ratings:**      **Health:** 1      **Fire:** 3      **Reactivity:** 0      **Other:** B

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

### Containment Procedures

For small spills: Use inert dry absorbents. Remove all ignition sources.

### Clean-Up Procedures

Collect absorbent with product and place in an appropriate container for disposal in accordance with all applicable local, state and federal waste management regulations.

### Evacuation Procedures

Not applicable to 300ml dispenser product.

### Special Procedures

None.

# Material Safety Data Sheet

Stoko® Spray SureSeat Toilet Seat Cleaner

MSDS ID: SK-159D

## \*\*\* Section 7 - Handling and Storage \*\*\*

### Handling Procedures

Handle as a skin and eye irritant. Keep out of reach of children. Keep container closed. Do not smoke when using.

### Storage Procedures

Containers which are open must be properly resealed and kept upright to prevent leakage. Do not store near sources of ignition.

## \*\*\* Section 8 - Exposure Controls / Personal Protection \*\*\*

### A: Product Component Exposure Limits

#### Ethyl alcohol (64-17-5)

OSHA:	1000 ppm TWA; 1900 mg/m3 TWA
ACGIH:	1000 ppm TWA

#### Methyl alcohol (67-56-1)

OSHA:	200 ppm TWA; 260 mg/m3 TWA
ACGIH:	200 ppm TWA

### B: Exposure Limits for Chemicals which may be generated during processing

#### Ethyl alcohol (64-17-5)

ACGIH:	1000 ppm TWA
OSHA:	1000 ppm TWA; 1900 mg/m3 TWA
NIOSH:	1000 ppm TWA; 1900 mg/m3 TWA

### Engineering Controls

Consumer product. None necessary.

### PERSONAL PROTECTIVE EQUIPMENT

#### Personal Protective Equipment: Eyes/Face

Avoid eye contact.

#### Personal Protective Equipment: Skin

Avoid skin contact.

#### Personal Protective Equipment: Respiratory

None.

#### Personal Protective Equipment: General

Obey reasonable safety precautions and practice good housekeeping.

## \*\*\* Section 9 - Physical & Chemical Properties \*\*\*

<b>Appearance:</b> Colorless	<b>Odor:</b> Perfume
<b>Physical State:</b> Liquid	<b>pH:</b> 6.0-8.0
<b>Vapor Pressure:</b> Not Established	<b>Vapor Density:</b> Not Established
<b>Boiling Point:</b> >172°F (>78°C)	<b>Melting Point:</b> Not Applicable
<b>Solubility (H2O):</b> Very soluble	<b>Specific Gravity:</b> Not Applicable
<b>Percent Volatile:</b> 30% - 40%	<b>Flash Point</b> 74.2°F (24°C)

# Material Safety Data Sheet

Stoko® Spray SureSeat Toilet Seat Cleaner

MSDS ID: SK-159D

## \*\*\* Section 10 - Chemical Stability & Reactivity Information \*\*\*

### Chemical Stability

Stable under usual application conditions.

### Chemical Stability: Conditions to Avoid

Sources of ignition.

### Incompatibility

None identified.

### Hazardous Decomposition

None identified.

### Hazardous Polymerization

Hazardous polymerization will not occur.

## \*\*\* Section 11 - Toxicological Information \*\*\*

### Acute and Chronic Toxicity

#### A: General Product Information

Handle as a skin and eye irritant.

#### B: Product Component Acute Toxicity-LD50/LC50

##### Ethyl alcohol (64-17-5)

LD50:	Inhalation LC50 Rat: 124.7 mg/L/4H; Oral LD50 Rat: 1501 mg/kg
-------	---

##### Methyl alcohol (67-56-1)

LD50:	Inhalation LC50 Rat: 83.2 mg/L/4H; Inhalation LC50 Rat: 64000 ppm/4H; Oral LD50 Rat: 5628 mg/kg; Dermal LD50 Rabbit: 15800 mg/kg
-------	--

### Carcinogenicity

#### Product Component Carcinogenicity

##### Ethyl alcohol (64-17-5)

ACGIH:	A4 - Not Classifiable as a Human Carcinogen
--------	---

### Other Toxicological Information

None.

## \*\*\* Section 12 - Ecological Information \*\*\*

### Ecotoxicity

#### A: General Product Information

Ecological impacts are not expected with normal use.

#### B: Product Component Analysis - Ecotoxicity - Aquatic Toxicity

##### Ethyl alcohol (64-17-5)

96 Hr LC50 *Oncorhynchus mykiss*: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50 *Pimephales promelas*: 14.2 mg/L

##### Methyl alcohol (67-56-1)

# Material Safety Data Sheet

Stoko® Spray SureSeat Toilet Seat Cleaner

MSDS ID: SK-159D

96 Hr LC50 *Pimephales promelas*: 29400 mg/L [flow-through] (28 days old); 96 Hr LC50 *Oncorhynchus mykiss*: 13 mg/L (fingerling)

## Environmental Fate

No information available.

### \*\*\* Section 13 - Disposal Considerations \*\*\*

## US EPA Waste Number & Descriptions

### A: General Product Information

Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

### B: Component Waste Numbers

#### Methyl alcohol (67-56-1)

RCRA: waste number U154 (Ignitable waste)

## Disposal Instructions

Dispose of empty containers according to all State and Federal environmental regulations. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

### \*\*\* Section 14 - Transportation Information \*\*\*

## US Department of Transportation (D.O.T.)

Consumer product. Exempt from D.O.T. regulations as long as the volume in each package does not exceed five (5) liters.

This product may be classified as a Consumer Commodity ORM-D

## IATA

If shipped by air, this DOT ORM-D classification does not apply and the product must be shipped as a flammable material. Its shipping information is as follows:

**Shipping Name:** Ethyl alcohol , solution

**UN/NA #:** 1170 **Hazard Class:** 3 **Packing Group:** III

**Required Label(s):** Flammable

## Canada:

TDG exempt

### \*\*\* Section 15 - Regulatory Information \*\*\*

## US Federal Regulations

### A: General Product Information

The product is packaged and shipped from the manufacturer in 300ml plastic containers. All components are listed in the TSCA inventory.

### B: Clean Air Act

Component	CAS	HAPS
Methyl alcohol	67-56-1	Yes

# Material Safety Data Sheet

Stoko<sup>®</sup> Spray SureSeat Toilet Seat Cleaner

MSDS ID: SK-159D

## C: Component Analysis

### Methyl alcohol (67-56-1)

Section 313:	1.0 % de minimis concentration
Reportable Quantity:	5000 lb final RQ; 2270 kg final RQ

## State Regulations

### A: General Product Information

None identified.

### B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS #	CA	FL	MA	MN	NJ	PA
Ethyl alcohol	64-17-5	Yes	No	Yes	Yes	Yes	Yes
Methyl alcohol	67-56-1	Yes	No	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects.

## Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Ethyl alcohol	64-17-5	0.1 %
Methyl alcohol	67-56-1	1 %

## Component Analysis - Inventory

Component	CAS #	TSCA	CAN	EEC
Ethyl alcohol	64-17-5	Yes	DSL	EINECS
Methyl alcohol	67-56-1	Yes	DSL	EINECS

## \*\*\* Section 16 - Other Information \*\*\*

### Other Information

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

### MSDS History

This is a newly revised MSDS. Section's 2 & 3 have been revised to reflect proposed 2004 ANSI Standards format recommendations for 2007 implementation.

**Contact:** Product Safety Compliance Officer

**Contact Phone:** (800) 242-2271

This is the end of MSDS ID: SK-159D